

# FISCHER PRODUCTS OVERVIEW

05

# CONTENTS

Fischer Product Range	05-03
Injection Technique for Concrete	05-04
Glass Fixings	05-04
Stone Fixings	05-05
Site Testing	05-05



## FISCHER PRODUCT RANGE

Fischer is the only company with its own development and production facilities in all relevant areas of fixing technology. CFS use their steel, nylon and chemical fixings in various applications allowing a degree of flexibility to be able to develop tailor-made customer solutions.

---

### Bolt FBN II

The flexible, low-cost expansion type FBN bolts for the non-cracked compression zone



Bolt **FBN II** zinc-plated steel



Bolt **FBN A4**, stainless steel

### Anchor bolt FAZ II

The strong, easy-to-install expansion type FAZ bolts for cracked concrete



Anchor bolt **FAZ II**, zinc-plated steel



Anchor bolt **FAZ A4**, stainless steel A4




Anchor bolt **FAZ C**, highly corrosion-resistant steel 1.4529

# INJECTION TECHNIQUE FOR CONCRETE

## Resin Anchors Type FIS A



Thread Rod **FIS A** zinc-plated steel



Injection mortar **FIS HB 345 S** + static mixer **FIS S**


## The flexible installation and highest loads in the cracked tensile zone - Resin anchors Highbond type FHB



**FHB II-A S** (standard), zinc-plated steel



Resin capsule **FHB II-P**



## Innovative undercut anchors for Glass fixings FZP-G-Z

For toughened and laminated safety glass, fischer offers undercutpoint fixing FZP-G-Z with German approval. The anchor is designed to prevent transmission of compressive forces from the fixing into the face of the glass. This greatly improves impact resistance.



## Undercut Anchors for Natural Stone Fixing Type FZP

Fixing Type FZP Undercut anchor for natural stone from 20mm panel thickness.



## Site Testing

Site testing can be under-taken on all Fischer products. This can be particularly useful in indeterminate or unusual substrates.

